



*Follow us! · ¡Síguenos!*



www.arklam.es · arklam@arklam.es · Tel.: 0034 964 913 171 · Fax.: 0034 964 657 426  
Ctra. de Alcora, Km. 7,5 · 12130 Sant Joan de Moró · Castellón (Spain)


2020 · ARKLAM COUNTERTOPS COLLECTION



2020 · COUNTERTOPS COLLECTION

ARK  
LAMI

QUALITY DOESN'T FEAR TIME



**ARK  
LAM**  
Countertops  
QUALITY DOESN'T FEAR TIME

### ARKLAM FOR COUNTERTOP ARKLAM PARA ENCIMERAS DE COCINAS

Arklam Countertops collection is a new sintered mass that provides solutions for kitchen countertop with character and personality. Born as a result of a deep study of decorative trends and the most contemporary demands.

Its large dimensions, 1600x3200 mm, and the extremely high-performance technical features make it an ideal material for the most demanding product applications such as kitchen countertops.

La colección Arklam Countertops es una nueva masa sinterizada que aporta soluciones para encimeras de cocinas con carácter y personalidad, nacida del profundo estudio de las tendencias decorativas y las demandas más contemporáneas.

Sus grandes dimensiones de 1600x3200 mm, y sus características técnicas de alto rendimiento lo convierten en un material idóneo para las aplicaciones más exigentes como son las encimeras de cocina.

100% Made in Spain

100% Hecho en España

[www.arklam.es](http://www.arklam.es)

Arklam arises to respond to the new needs of professionals in architecture and interior decoration. With this vocation, Arklam has consolidated itself as a reference product for its exceptional technical features, which represent a step forward in the coating of all types of surfaces.

Arklam is an innovative solution of large format sintered mass, which stands out for its resistance, durability and design and which has been created specifically for the most exclusive and demanding projects.

Arklam surge para dar respuesta a las nuevas necesidades de los profesionales de la arquitectura y la decoración de interiores. Con esta vocación, Arklam se ha consolidado como un producto de referencia por sus excepcionales prestaciones técnicas, que suponen un paso más allá en el recubrimiento de todo tipo de superficies.

Arklam es una innovadora solución de masa sinterizada de gran formato, que sobresale por su resistencia, durabilidad y diseño y que ha sido creada específicamente para los proyectos más exclusivos y exigentes.



## INDEX/ ÍNDICE

ARKLAM COLLECTION/ ARKLAM COLECCIÓN	6
FORMAT/ FORMATO	8
THICKNESS/ ESPESOR	8
PROPERTIES/ PROPIEDADES	9
CHARACTERISTICS/ CARACTERÍSTICAS	10
COLLECTION/ COLECCIÓN	12
TREATMENT OF EDGES/ TRATAMIENTO DE CANTOS	82
PACKING/ EMBALAJE	83
CLEANING/ LIMPIEZA	83
TECHNICAL CHARACTERISTICS/ CARACTERÍSTICAS TÉCNICAS	84
CERTIFICATIONS/ CERTIFICADOS	86
AWARDS/ DISTINCIONES	87

ARKLAM COLLECTION/ COLECCIÓN

COLLECTIONS	1600x3200				1500x3200	1200x3000				1000x3000					1500x2600		1200x2600	
	12 mm		20 mm		12 mm	6 mm				3 mm	6 mm				6 mm		6 mm	
	POLISHED	SILK	HOND	RIVER WASHED	MATT POLISHED	SILK	POLISHED	HOND	NATURAL	SILK	POLISHED	SILK	NATURAL	RIVER WASHED	POLISHED	SILK	POLISHED	SILK
ALMA				●														
AQUA																		●
ARABESCATTO CORCHIA		●										●						
ATLANTIS	●	●									●	●			●	●		
ATLANTIS GOLD	●	●									●	●						
ATRIUM BEIGE									●									
ATRIUM PEARL									●									
ATRIUM GREY									●									
ATRIUM ANTHRACITE									●									
AVENUE WHITE											●							
AVENUE ASH											●							
AVENUE TAUPE											●							
AVENUE GRAPHITE											●							
BASALT GREY		●																
BRAZIL SUPER WHITE			●					●										
CALACATTA PAONAZZO	●		●				●	●										
CANADA		●								●								
CHROMATICA BLUE						●												
CONCRETE										●								
COPENHAGUEN														●	●			
ESTATUARIO	●		●															
GLACIAR										●	●				●			
INVISIBLE GREY	●		●															
JURASSIC BLACK																	●	
JURASSIC GOLD																	●	
LONDRA BLACK											●							
LONDRA GREY					●						●							
MANHATTAN WHITE											●							
MANHATTAN BEIGE											●				●			

COLLECTIONS	1600x3200				1500x3200	1200x3000				1000x3000					1500x2600		1200x2600	
	12 mm		20 mm		12 mm	6 mm				3 mm	6 mm				6 mm		6 mm	
	POLISHED	SILK	HOND	RIVER WASHED	MATT POLISHED	SILK	POLISHED	HOND	NATURAL	SILK	POLISHED	SILK	NATURAL	RIVER WASHED	POLISHED	SILK	POLISHED	SILK
MANHATTAN GREY		●														●		
MANHATTAN GRAPHITE																	●	
NEGRO MARQUINA	●	●									●	●						
ONIX TURQUOISE																		●
PALISANDRO BLUE	●														●			
PALISANDRO WHITE																		●
PANDORA											●	●						
PHOENIX BLUE										●								
PIER17 COPPER													●					
PIER17 ZINC													●					
PIERRE BLEU		●																
PIETRA CORAL													●					
POMPEIA												●						
POMPEIA DECOR												●						
PORTOBELLO												●	●			●		
PULPIS NATURAL		●										●	●					
PURE BLACK														●	●			
PURE GREY															●			
PURE IVORY														●				
PURE SUPER WHITE	●	●																
PURE WHITE														●	●			●
SAHARA NOIR												●	●					
SIDNEY MOKA													●					
TIMELESS																		●
TRAVERTINO GREY														●				
VILLAGE		●										●				●		
VOLAKAS		●										●	●					
VULCANO		●																

FORMAT/ FORMATO

1600x3200/ 63"x 126"




**SINTERED MASS COLOURED BODY/  
MASA SINTERIZADA COLOREADA**

Arkلام Countertops is a sintered mass coloured body with which we created amazing designs for countertops of sophisticated kitchens in different finishes: **Silk**, highly resistant; **Polished**, with a mirror reflection that brings depth and elegance; **Polished Matt**, with a slightly polished matte effect; and **River Washed**, a natural finish with a stone effect.

Arkلام Countertops es una masa sinterizada coloreada con la que podemos conseguir diseños totalmente integrados para la creación de encimeras de cocinas sofisticadas gracias a sus acabados: **Silk**, altamente resistente; **Polished**, con un reflejo de espejo que aporta profundidad y elegancia; **Polished Matt**, con un efecto mate ligeramente pulido; y **River Washed**, un acabado natural con un efecto piedra.

**THICKNESS/ ESPESOR**

12 MM & 20 MM



**PROPERTIES/ PROPIEDADES**



Highly UV Resistant/  
Resistente a los rayos UV



Frost resistance/  
Resistente a las heladas



Waterproof/  
Impermeable



Resistance to high temperatures/  
Resistente a altas temperaturas



Resistant to scratches/  
Resistencia al rayado



Resistant to stains/  
Resistente a las manchas



Recyclable/  
Reciclable



Easy to clean/  
Fácil de limpiar






DESIGN · DISEÑO

**Because variety is important, Arklam Super Size Collection allows you to choose from a rich diversity of designs of all styles. Each series presents differentiated graphics to obtain personalized and plentiful finishes in shades.**

Porque en la variedad está el gusto, Arklam Super Size Collection permite elegir entre una rica diversidad de diseños de todos los estilos. Cada serie presenta gráficas diferenciadas para obtener acabados personalizados y abundantes en matices.



SUPER SIZE  
GRAN FORMATO

**Big in size, big in performance. With Arklam all the advantages are XXL.**

Grande en tamaño, grande en prestaciones. Con Arklam todas las ventajas son XXL.



EXCLUSIVITY  
EXCLUSIVIDAD

**Arklam it's an absolute trend. Exclusivity and avant-garde aesthetics to dress every space in a modern way. Arklam is fashion with a timeless character.**

Arklam es absoluta tendencia. Exclusividad y estética vanguardista para vestir de plena actualidad cada espacio. Arklam es moda con carácter atemporal.



INNOVATION  
INNOVACIÓN

**Arklam is the result of a constant commitment to technological innovation. The latest advances in R+D incorporated into the manufacturing process allow us to enjoy a product with extraordinary qualities.**

Arklam es el resultado de una constante apuesta por la innovación tecnológica. Los últimos avances en I+D incorporados al proceso de fabricación permiten disfrutar de un producto con cualidades extraordinarias.





ARK  
LAMI  
Countertops  
QUALITY DOESN'T FEAR TIME

COUNTERTOP / 12 mm

COUNTERTOP: BRAZIL SUPER WHITE HOND 1600X3200  
FURNITURE: BLACK SILK PLUS 1000X3000 RECT  
FLOOR: IRATI NATURAL MATT 25X150 RECT



OUR COLLECTION / NUESTRA COLECCIÓN

MARBLES/ MÁRMOLES

12 MM



6

**ARABESCATTO CORCHIA**  
SILK  
1600X3200



20

**ATLANTIS**  
POLISHED\*/ SILK\*  
1600X3200




24

**ATLANTIS GOLD**  
POLISHED\*/ SILK\*  
1600X3200



28

**BRAZIL SUPER WHITE**  
HOND  
1600X3200



32

**CALACATTA PAONAZZO**  
POLISHED/ HOND  
1600X3200



36

**ESTUARIO**  
POLISHED/ HOND  
1600X3200



42

**INVISIBLE GREY**  
POLISHED/ HOND  
1600X3200



44

**NEGRO MARQUINA**  
POLISHED\*/ SILK\*  
1600X3200



46

**PALISANDRO BLUE**  
POLISHED\*  
1600X3200



48

**PULPIS NATURAL**  
SILK  
1600X3200




50

**VOLAKAS**  
SILK  
1600X3200

CONCRETE & STONES/ CEMENTOS Y PIEDRAS

12 MM



54

**BASALT GREY**  
SILK  
1600X3200



58

**LONDRA GREY**  
MATT POLISHED\*  
1500X3200



60

**MANHATTAN GREY**  
SILK\*  
1600X3200



64

**PIERRE BLEU**  
SILK\*  
1600X3200



66

**VILLAGE**  
HOND  
1600X3200



70

**VULCANO**  
SILK  
1600X3200


WOOD/ MADERA



72

**CANADA**  
SILK  
1600X3200

PURE



74

**PURE SUPER WHITE**  
POLISHED/ SILK  
1600X3200

CONCRETE & STONES/ CEMENTOS Y PIEDRAS

20 MM



78

**ALMA**  
RIVER WASHED  
1600X3200

\* REFERENCES MARKED WITH ASTERISKS ARE ALSO AVAILABLE IN 1500X3200 MM UNTIL END OF STOCK. CONSULT WITH DEPT. COMMERCIAL

\* LAS REFERENCIAS MARCADAS CON ASTERISCO ESTÁN DISPONIBLES TAMBIEN EN EL FORMATO 1500X3200 MM HASTA FIN DE EXISTENCIAS. CONSULTAR CON DPTO. COMERCIAL



ARABESCATTO CORCHIA

ENDMATCH  180°

▼  
6 mm  
▲

1000x3000 mm/ 39,4"x118"


SILK

1 SINGLE DESIGN/  
1 ÚNICO DISEÑO

▼  
12 mm  
▲

1600x3200 mm/ 63"x126"

SILK



Arabescatto Corchia Silk 1600x3200



ARABESCATTO CORCHIA SILK 1600X3200

**ARK**  
Countertops  
**LAMI**  
QUALITY DOESN'T FEAR TIME

COUNTERTOP / 12 mm



ATLANTIS

▼  
6 mm  
▲

1000x3000 mm/ 39,4"x118"

1500x2600 mm/ 59"x103"

POLISHED/ SILK

8 DIFFERENT DESIGNS/  
8 DISEÑOS DIFERENTES

▼  
12 mm  
▲

1600x3200 mm/ 63"x126"

POLISHED/ SILK

Atlantis Polished 1600x3200  
Atlantis Silk 1600x3200



ATLANTIS  
OPENBOOK

LEFT/ IZQUIERDA

RIGHT/ DERECHA



Atlantis L Polished 1600x3200  
Atlantis L Silk 1600x3200

Atlantis R Polished 1600x3200  
Atlantis R Silk 1600x3200



COUNTERTOP: ATLANTIS R POLISHED 1600X3200/ ATLANTIS L POLISHED 1600X3200  
WALL&FLOOR: ATLANTIS POLISHED 1000X3000 RECT.



COUNTERTOP: ATLANTIS GOLD SILK 1600X3200  
WALL: ATLANTIS GOLD R SILK 1000X3000 RECT./ ATLANTIS GOLD L SILK 1000X3000 RECT.  
FLOOR: ATLANTIS GOLD POLISHED 1000X3000 RECT.

ATLANTIS GOLD

▼  
6 mm  
▲

1000x3000 mm/ 39,4"x118"

POLISHED/ SILK

8 DIFFERENT DESIGNS/  
8 DISEÑOS DIFERENTES

▼  
12 mm  
▲

1600x3200 mm/ 63"x126"

POLISHED/ SILK



Atlantis Gold Polished 1600x3200  
Atlantis Gold Silk 1600x3200

ATLANTIS GOLD  
OPENBOOK

LEFT/ IZQUIERDA

RIGHT/ DERECHA



Atlantis Gold L Polished 1600x3200  
Atlantis Gold L Silk 1600x3200

Atlantis Gold R Polished 1600x3200  
Atlantis Gold R Silk 1600x3200



COUNTERTOP: ATLANTIS GOLD SILK 1600X3200  
WALL: ATLANTIS GOLD 1000X3000 RECT.



COUNTERTOP: BRAZIL SUPER WHITE HOND 1600X3200  
FLOOR: GREY SILK 1000X3000 RECT.

**ARK**  
Countertops  
**LAMI**  
QUALITY DOESN'T FEAR TIME

COUNTERTOP / 12 mm





COUNTERTOP: BRAZIL SUPER WHITE HOND 1600X3200  
FLOOR: IRATI NATURAL MATT 25X150 RECT

BRAZIL SUPER WHITE

12 mm

1600x3200 mm/ 63"x126"


HOND

6 mm

1200x3000 mm/ 47,2"x118"

HOND

3 DIFFERENT DESIGNS/  
3 DISEÑOS DIFERENTES



Brazil SuperWhite Hond 1600x3200



COUNTERTOP: CALACCATA PAONAZZO POLISHED 1600X3200 / CANADÁ SILK 1600X3200RECT.  
FLOOR: BRAZIL SUPER WHITE HOND 1200X3000 RECT

**ARK**  
Countertops  
**LAM**  
QUALITY DOESN'T FEAR TIME

COUNTERTOP / 12 mm

# CALACATTA PAONAZZO

OPENBOOK

LEFT/ IZQUIERDA

RIGHT/ DERECHA



Calacatta Paonazzo L Polished 1600x3200  
Calacatta Paonazzo L Hond 1600x3200

Calacatta Paonazzo R Polished 1600x3200  
Calacatta Paonazzo R Hond 1600x3200

CALACATTA PAONAZZO

12 mm

1600x3200 mm/ 63"x126"

POLISHED/ HOND

6 mm

1200x3000 mm/ 47,2"x118"

POLISHED/ HOND

3 DIFFERENT DESIGNS/  
3 DISEÑOS DIFERENTES



Calacatta Paonazzo Polished 1600x3200  
Calacatta Paonazzo Hond 1600x3200



COUNTERTOP: ESTATUARIO POLISHED 1600X3200  
WALL: LONDRA BLACK SILK 1000X3000 RECT.  
FLOOR: LAKEWOOD MAPLE MATT 25X150 RECT.

**ARK**  
Countertops  
**LAMI**  
QUALITY DOESN'T FEAR TIME

COUNTERTOP / 12 mm



ESTATUARIO POLISHED 1600X3200

12 mm

1600x3200 mm / 63"x126"

POLISHED/ HOND

ESTATUARIO



Estatuario Polished 1600x3200  
Estatuario Hond 1600x3200

ESTATUARIO  
OPENBOOK

LEFT/ IZQUIERDA

RIGHT/ DERECHA



Estatuario L Hond 1600x3200

Estatuario R Hond 1600x3200



COUNTERTOP: ESTATUARIO HOND 1600X3200  
FURNITURE: BLACK SILK PLUS 1000X3000 RECT  
FLOOR: IRATI NATURAL 25X150 RECT



COUNTERTOP: INVISIBLE GREY POLISHED 1600X3200  
FLOOR: BRAZIL SUPER WHITE HOND 1200X3000 RECT

INVISIBLE GREY

12 mm

1600x3200 mm / 63"x126"

POLISHED/HOND



Invisible Grey Polished 1600x3200  
Invisible Grey Hond 1600x3200



NEGRO MARQUINA SILK 1600X3200

NEGRO MARQUINA

▼  
6 mm  
▲

1000x3000 mm/ 39,4"x118"

POLISHED/ SILK

4 DIFFERENT DESIGNS/  
4 DISEÑOS DIFERENTES

▼  
12 mm  
▲

1600x3200 mm/ 63"x126"

POLISHED/ SILK

Negro Marquina Polished 1600x3200  
Negro Marquina Silk 1600x3200





COUNTERTOP: PALISANDRO BLUE POLISHED 1600X3200  
FLOOR: GREY SILK 1000X3000 RECT.

PALISANDRO BLUE

ENDMATCH  180°

 6 mm

1000x3000 mm/ 39,4"x118"

POLISHED

1 SINGLE DESIGN/  
1 ÚNICO DISEÑO

 12 mm

1600x3200 mm/ 63"x126"

POLISHED



Palisandro Blue Polished 1600x3200



PULPIS NATURAL SILK 1600X3200

PULPIS NATURAL

▼  
6 mm  
▲

1000x3000 mm/ 39,4"x118"

POLISHED/ SILK

4 DIFFERENT DESIGNS/  
4 DISEÑOS DIFERENTES

▼  
12 mm  
▲

1600x3200 mm/ 63"x126"

SILK



Pulpis Natural Silk 1600x3200



COUNTERTOP: VOLAKAS SILK 1600X3200  
FLOOR: LAKEWOOD NATURAL MATT 25X150 RECT.

VOLAKAS

▼  
6 mm  
▲

1000x3000 mm/ 39,4"x118"

POLISHED/ SILK

6 DIFFERENT DESIGNS/  
6 DISEÑOS DIFERENTES

▼  
12 mm  
▲

1600x3200 mm/ 63"x126"

SILK

Volakas Silk 1600x3200





ARK  
Countertops  
LAMI  
QUALITY DOESN'T FEAR TIME

COUNTERTOP / 12 mm



12 mm

1600x3200 mm/ 63"x126"

SILK

BASALT GREY



Basalt Grey Silk 1600x3200



COUNTERTOP: BASALT GREY SILK 1600X3200 | VOLAKAS SILK 1600X3200  
WALL: VOLAKAS SILK 1000X3000 RECT.  
FLOOR: BLACK SILK 1000X3000 RECT.

**ARK**  
Countertops  
**LAMI**  
QUALITY DOESN'T FEAR TIME

COUNTERTOP / 12 mm



DECORATIVE TABLE: LONDRA GREY MATT POLISHED 1500X3200  
WALL: LONDRA GREY SILK 1000X3000  
FLOOR: PANDORA POLISHED 1000X3000

LONDRA GREY

▼  
6 mm  
▲

1000x3000 mm/ 39,4"x118"

SILK

4 DIFFERENT DESIGNS/  
4 DISEÑOS DIFERENTES

▼  
12 mm  
▲

1500x3200 mm/ 59"x126"

MATT POLISHED



Londra Grey Matt Polished 1500x3200



MANHATTAN GREY

▼  
6 mm  
▲

1000x3000 mm/ 39,4"x118"  
1500x2600mm/ 59"x103"

SILK

8 DIFFERENT DESIGNS/  
8 DISEÑOS DIFERENTES

▼  
12 mm  
▲

1600x3200 mm/ 63"x126"

SILK



Manhattan Grey,Silk 1600x3200



MANHATTAN GREY SILK 1600X3200



ARK  
Countertops  
LAMI  
QUALITY DOESN'T FEAR TIME

COUNTERTOP / 12 mm



COUNTERTOP: PIERRE BLEU SILK 1600X3200  
FLOOR: BLACK SILK 1000X3000 RECT.

PIERRE BLEU

▼  
12 mm  
▲

1600x3200 mm/ 63"x126"

SILK



Pierre Bleu Silk 1600x3200



VILLAGE

▼  
6 mm  
▲

1000x3000 mm/ 39,4"x118"  
1500x2600 mm/ 59"x103"

SILK


4 DIFFERENT DESIGNS/  
4 DISEÑOS DIFERENTES

▼  
12 mm  
▲

1600x3200 mm/ 63"x126"

SILK

VILLAGE SILK 1600X3200



Village Silk 1600x3200



VILLAGE SILK 1600X3200

**ARK**  
Countertops  
**LAMI**  
QUALITY DOESN'T FEAR TIME

COUNTERTOP / **12** mm



VULCANO SILK 1600X3200

VULCANO

▼  
12 mm  
▲

1600x3200 mm/ 63"x126"

SILK



Vulcano Silk 1600x3200



COUNTERTOP: CANADA SILK 1600X3200  
FURNITURE: WHITE SILK PLUS 1000X3000 RECT  
WALL: VOLAKAS POLISHED 1000X3000 RECT

CANADA

12 mm

1600x3200 mm/ 63"x126"

SILK

3 mm PLUS

1000x3000 mm/ 39,4"x118"

SILK

3 DIFFERENT DESIGNS/  
3 DISEÑOS DIFERENTES



Canada Silk 1600x3200




PURE SUPER WHITE

12 mm

1600x3200 mm/ 63"x126"

POLISHED/ SILK



Pure Super White Polished 1600x3200  
Pure Super White Silk 1600x3200



ARK  
LAMI  
Countertops  
QUALITY DOESN'T FEAR TIME

COUNTERTOP / 20 mm





ALMA

▼  
20 mm  
▲

1600x3200 mm/ 63"x126"

RIVER WASHED



Alma River Washed 1600x3200



COUNTERTOP: ALMA RIVER WASHED 1600X3200  
FLOOR&WALL: AVENUE WHITE SILK 1200X2600 RECT.

**ARK**  
LAMI  
Countertops  
QUALITY DOESN'T FEAR TIME

COUNTERTOP / 20 mm

## TREATMENT OF EDGES/ TRATAMIENTO DE CANTOS

45° ANGLE SQUARE EDGE  
CANTO CUADRADO A 45°



45° ANGLE ROUNDED EDGE  
CANTO REDONDEADO A 45°



STRAIGHT SQUARE EDGE  
CANTO CUADRADO RECTO



STRAIGHT ROUNDED EDGE  
CANTO REDONDEADO RECTO



DOUBLE STRAIGHT SQUARE EDGE  
DOBLE CANTO CUADRADO RECTO



DOUBLE STRAIGHT ROUNDED EDGE  
DOBLE CANTO REDONDEADO RECTO



ROUNDED EDGE  
CANTO REDONDEADO




SQUARE ROUNDED EDGE  
CANTO REDONDEADO ESCUADRA



L-SHAPED SQUARE EDGE  
CANTO L CUADRADO



L-SHAPED ROUNDED EDGE  
CANTO L REDONDEADO



## PACKING/ EMBALAJE

### PIECES PIEZAS

THICKNESS ESPESOR	M2	KG
12,00 MM	5,12	152,47
20,00 MM	5,12	254,87

### PALET/A FRAME PALLET/CABALLETE

THICKNESS ESPESOR	PIECES PIEZAS	M2	NET WEIGHT PESO NETO (Kg)	GROSS WEIGHT PESO BRUTO (Kg)	PALLET AND A FRAME DIMENSIONS DIMENSIONES PALET Y CABALLETE (mm)		
					HEIGHT ALTO	LENGTH LARGO	WIDHT ANCHO
12 MM	22	116,16	3354,34	3560	1996	3300	750
20 MM	14	73,92	3568,18	3770	1996	3300	750

## CLEANING/ LIMPIEZA

### CARE AND MAINTENANCE/ CUIDADOS Y MANTENIMIENTO



Do not clean Arklam with detergents or corrosive products. If necessary, there are specific products for removing different types of dirt. Always follow the instructions of the product in question.

Debe evitarse limpiar Arklam con detergentes y productos corrosivos que contengan ácido fluorhídrico. En caso de ser necesario existen productos específicos para cada tipo de suciedad. Consultar siempre las instrucciones de dichos productos.

### REMOVING STAINS/ LIMPIEZA DE MANCHAS

Remove any stains just after they occur. Do not allow them to dry.

Limpiar las manchas inmediatamente después de haber sido producidas, evitando que estas se resequen.

### REMOVING STAINS/ LIMPIEZA DE MANCHAS

TYPE OF STAIN/ TIPO DE MANCHA	STEP 1/ 1ER PASO	STEP 2/ 2º PASO
CEMENT, LIME SCALE, SCRATCHES BY METAL OBJECTS, OXIDES CEMENTO, CAL DEL AGUA, RAYAS METALES, ÓXIDOS	Wash with water as soon as possible and rub the area gently with a cloth. Lavar lo antes posible con agua, frotando suavemente con un paño.	Deterdek Deterdek
REMAINS OF EPOXY GROUTING RESIDUOS DE JUNTAS EPOXI		Fila cr10 Fila cr10
FAT, GREASE, FOOD, RUBBER, INK, FELT TIP PEN ETC GRASAS, COMIDAS, GOMA, TINTES, ROTULADOR, ETC.		Fila ps/87 Fila ps/87
GRAFFITI PINTADAS DE GRAFITIS		Fila nopaint star Fila nopaint star
COFFE, TEA, JUICE, SOFT DRINKS CAFÉ, TÉ, ZUMOS, REFRESCOS		Fila sr/95 Fila sr/95
CANDLE WAX, TREE RESIN, REMAINS OF ADHESIVE TAPE CERA DE VELAS, RESINAS ÁRBOLES, RESIDUOS CINTA ADHESIVA		Filasolv Filasolv

## TECHNICAL CHARACTERISTICS/ CARACTERÍSTICAS TÉCNICAS

	TECHNICAL CHARACTERISTICS/ CARACTERÍSTICAS TÉCNICAS SEGÚN NORMAS	REFERENCE STANDARD/ NORMA DE REFERENCIA	VALUE REQUIRED/ VALOR REQUERIDO		MEAN VALUE/ VALOR MEDIO OBTENIDO	
			12 MM	20 MM	12 MM	20 MM
<b>DIMENSIONAL CHARACTERISTICS</b> Permissible deviation from work size.  <b>CARACTERÍSTICAS DIMENSIONALES</b> Desviación admisible respecto de la dimensión de fabricación.	Length and width/ Longitud y anchura	EN-ISO 10545-2	± 0,6 % / ± 2,0 mm	± 0,6 %	± 0,6 % / ± 2,0 mm	± 0,6 %
	Thickness/ Grosor		± 5 % / ± 0,5 mm	± 5 %	± 5 % / ± 0,5 mm	± 5 %
	Warpages of edges/ Rectitud de los lados		± 0,6 % / ± 2 mm	± 0,5 %	± 0,6 % / ± 2 mm	± 0,5 %
	Wedging/ Ortogonalidad		± 0,6 % / ± 2,0 mm	± 0,5 %	± 0,6 % / ± 2,0 mm	± 0,5 %
	Flatness/ Planaridad		± 0,5 % / ± 2,0 mm	± 0,5 %	± 0,5 % / ± 2,0 mm	± 0,5 %
<b>CHEMICAL CHARACTERISTICS</b>  <b>CARACTERÍSTICAS QUÍMICAS</b>	Resistance to household cleaning products and swimming pool additives/ Resistencia a productos domésticos de limpieza y aditivos de piscina.	EN-ISO 10545-13	GB Min./ Mín. GB	GB Min./ Mín. GB	Resist (GB)/ Resiste (GB)	Resist (GB)/ Resiste (GB)
	Resistance to acids and bases in low concentration/ Resistencia a ácidos y bases en baja concentración.	EN-ISO 10545-13	As indicated by manufacturer/ Indicada por el fabricante	As indicated by manufacturer/ Indicada por el fabricante	Resist (GLB)/ Resiste (GLB)	Resist (GLB)/ Resiste (GLB)
	Resistance to staining/ Resistencia a las manchas.	EN-ISO 10545-14	Class 3 min./ Mín. Clase 3	Class 3 min./ Mín. Clase 3	Silk Class 5 Polished Class 3-4 / Silk Class 5 Polished Class 3-4	Silk Class 5 Polished Class 3-4 / Silk Class 5 Polished Class 3-4

	TECHNICAL CHARACTERISTICS/ CARACTERÍSTICAS TÉCNICAS SEGÚN NORMAS	REFERENCE STANDARD/ NORMA DE REFERENCIA	VALUE REQUIRED/ VALOR REQUERIDO		MEAN VALUE/ VALOR MEDIO OBTENIDO	
			12 MM	20 MM	12 MM	20 MM
<b>PHYSICAL CHARACTERISTICS</b>  <b>CARACTERÍSTICAS FÍSICAS</b>	Water absorption/ Absorción al agua	EN-ISO 10545-3	≤ 0,5%	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %
	Breaking strength/ Fuerza de rotura	EN-ISO 10545-4	≥ 1300 N	≥ 1300 N	Standard overtakes/ Supera la norma	Standard overtakes/ Supera la norma
	Bending strength/ Resistencia a la flexión	EN-ISO 10545-4	≥ 35 N / mm <sup>2</sup>	≥ 35 N / mm <sup>2</sup>	Standard overtakes/ Supera la norma	Standard overtakes/ Supera la norma
	Resistance to deep abrasion / Resistencia a la abrasión profunda	EN-ISO 10545-6	≤ 175 mm <sup>3</sup>	≤ 175 mm <sup>3</sup>	Standard overtakes/ Supera la norma	Standard overtakes/ Supera la norma
	Resistance to abrasion utility - PEI/ Resistencia a la abrasión PEI	EN-ISO 10545-7	Indicate the result/ Indicar resultado	-	1 - 5	-
	Lineal thermal expansion/ Dilatación Térmica lineal	EN-ISO 10545-8	Indicate the result/ Indicar resultado	Indicate the result/ Indicar resultado	≤ 9 X 10 <sup>-6</sup> K <sup>-1</sup>	≤ 9 X 10 <sup>-6</sup> K <sup>-1</sup>
	Thermal shock resistance/ Resistencia al choque térmico	EN-ISO 10545-9	Pass test/ Superar prueba	According to use/ Según su uso	Resist/ Resiste	Resist/ Resiste
	Mohs surface hardness/ Dureza Mohs	EN 101	Indicate the result/ Indicar resultado	Indicate the result/ Indicar resultado	5 - 6	5 - 6
	Frost resistance/ Resistencia a la helada	EN-ISO 10545-12	Pass test/ Superar prueba	Pass test/ Superar prueba	Resist/ Resiste	Resist/ Resiste

CERTIFICATIONS/ CERTIFICADOS



CE Marking declares conformity of our products with the technical and legal requirements for safety/ Marcado CE que declara la conformidad de todos nuestros productos con los requisitos legales y técnicos en materia de seguridad.



CCC Certificate that guarantees that our products meet the standard of radioactivity./ Certificado CCC que avala que nuestros productos cumplen con el estándar de radioactividad.



Certificate of content in COVs which states that our products are exempt and belong to type A./ Certificado del contenido en COVs que declara que nuestros productos están exentos y son de tipo A.



LEED certificate that guarantees compliance with a set of rules on the use of strategies aimed at sustainability in buildings./ Certificado LEED que avala el cumplimiento de un conjunto de normas sobre la utilización de estrategias encaminadas a la sostenibilidad en edificios.



AENOR certification, for implementing and maintaining a Quality Management System for the following scope: design, development, manufacture and marketing of ceramic tiles that meet the requirements of the following standard ISO 9001:2015 Registrar Number: ER-0498/2020./ Certificación de AENOR, para la aplicación y mantenimiento de un Sistema de Gestión de Calidad para el siguiente ámbito: diseñar, desarrollar, fabricar y comercializar baldosas cerámicas que cumplan los requisitos de Norma ISO 9001:2015 Número de registro: ER-0498/2020.



In compliance with UNE normative documents created in the Technical Committees for Standardization of the Spanish Association for Standardization and Certification./ En cumplimiento con los documentos normativos UNE creados en los Comités Técnicos de Normalización de la Asociación Española de Normalización y Certificación.



DAPcons certification, EPD ecolabeling programme for pioneering construction in Spain which follows European guidelines and is regulated by ISO 14025 and 15804 standards./ Certificación DAPcons, programa de ecoetiquetado de EPD de la construcción pionero en España que sigue las directrices europeas y regulado por las normas ISO 14025 y 15804.



Technical Approval Document - DIT/ Documento de Idoneidad Técnica - DIT.



The AAI includes all environmental aspects, and other related aspects considered by the competent environmental authorities, in accordance with basic state and corresponding autonomous legislation./ La AAI incluye todos los aspectos ambientales, y aquellos otros relacionados que consideren las autoridades ambientales competentes, de acuerdo con la legislación básica estatal y las correspondientes autonómicas.



The quality and impartiality of the certification process, and the level of its requirements form the basis of the technical added value of QB certification./ La calidad e imparcialidad del proceso de certificación y el nivel de sus requisitos constituyen la base del valor añadido técnico de la certificación QB.



NSF certification assures suppliers, retailers, regulators and consumers that an independent organisation has reviewed the manufacturing process and determined that the product meets specific standards of safety, quality, sustainability or performance./ La certificación de NSF asegura a los proveedores, minoristas, entes reguladores y consumidores que una organización independiente ha revisado el proceso de fabricación y ha determinado que el producto cumple con estándares específicos de seguridad, calidad, sostenibilidad o desempeño.



A permit, issued by SASO, to use the Quality Mark on products, which verifies that the facility has an effective management system that ensures production conformity with the General Technical Regulation, granting procedure and Saudi standard specification./ Permiso, expedido por SASO, para utilizar la marca de calidad en los productos, que verifica que la instalación dispone de un sistema de gestión eficaz que garantiza la conformidad de la producción con el Reglamento Técnico General, el procedimiento de concesión y la especificación de la norma saudí.

AWARDS/ DISTINCIONES



**PREMIO nan**  
arquitectura y construcción  
AL MEJOR MATERIAL PARA PAVIMENTO Y REVESTIMIENTO  
2018



2018



**Cámara Castellón**  
PREMIO A LA EXPORTACIÓN  
2017



**CDI CV** COLEGIO DE DISEÑADORES DE INTERIOR C.VALENCIANA



**EA D** COLECTIVO DE EMPRESAS ASOCIADAS PARA EL DISEÑO



**AMC**  
Asociación de Mobiliario de Cocina



**CTAACOLEGIO TERRITORIAL DE ARQUITECTOS DE ALICANTE**



**PLAZATIO**



**jtc**



member of **archiproducts**  
the worldwide source for architecture & design products



**archiproducts**  
DESIGN SELECTION  
2018



Member **NKBA**  
NATIONAL KITCHEN+BATH ASSOCIATION

# ARK LAMI

Countertops

QUALITY DOESN'T FEAR TIME

Arklam reserves the right to make changes in this catalogue for the benefit of the product and the customer. All names, measures and benchmarks of the pieces are also available on the website, this avoiding typographical error that may have occurred at the time of printing this catalogue. Due to printing processes, the colors of the pieces represented may have a slight variation from the original color.

In accordance with current legislation, the total or partial reproduction of this publication by any means or procedure, computer processing or any form of transfer of the same without prior written permission of the copyright holders are prohibited.

All images and content in this publication are property of Saniceramic Group.

Saniceramic Group reserves all rights and, in particular, those of reproduction, distribution, public communication and transformation, even partial.

© 2020 Saniceramic Group. All rights reserved.

Arklam se reserva el derecho de introducir modificaciones en este catálogo en beneficio del producto y del cliente. Todos los nombres, medidas y referencias de las piezas se encuentran también disponibles en nuestra página web, evitando de este modo errores tipográficos que se hayan podido producir a la hora de imprimir este catálogo. Debido a los procesos de impresión, los colores de las piezas representadas, pueden sufrir una leve variación respecto al color original.

Quedan prohibidos, conforme a la legislación vigente, la reproducción total o parcial de esta publicación por cualquier medio o procedimiento, el tratamiento informático o cualquier forma de cesión de la misma sin autorización previa y por escrito de los titulares del copyright.

Todas las imágenes y el contenido de esta publicación son propiedad de Saniceramic Group.

Saniceramic Group se reserva todos los derechos y, en particular, los de reproducción, distribución, comunicación pública y transformación, incluso parcial.

© 2020 Saniceramic Group. Todos los derechos reservados.

www.arklam.es | arklam@arklam.es  
Tel.: 0034 964 913 171 | Fax.: 0034 964 657 426  
Ctra. de Alcora, Km. 7,5 | 12130 Sant Joan de Moró  
Castellón (Spain)

Together on social networks  
Juntos en redes sociales

